

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
-	1	(annul adj1 code) near4 pipeline	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/10 10:13
-	0	1117032.URPN.	USPAT	2003/09/05 14:43
-	0	(invalid adj1 flag) near4 pipeline	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 14:46
-	2	(valid\$3 adj1 flag\$1) near4 pipeline	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 14:46
-	0	(stop adj1 flag\$1) near4 pipeline	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 14:45
-	1	(annul adj1 code) same pipeline	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 14:46
-	3	(invalid adj1 flag\$1) same pipeline	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 14:46
-	42	(valid\$3 adj1 flag\$1) same pipeline	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 14:59
-	1	annul adj1 code	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 14:58
-	4	((valid\$3 adj1 flag\$1) same pipeline) and (execution adj1 units)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 15:11
-	12	((valid\$3 adj1 flag\$1) near4 instruction\$1) and (execution adj1 units)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 15:12
-	0	(branch near4 predica\$4) same (multiple adj1 execution)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/07 10:54
-	15	(branch near4 predica\$4) and (multiple adj1 execution adj1 units)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/07 10:59
-	0	(multiple adj1 execution adj1 units) same (multiply and ALU and shift)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/07 10:59
-	1	(multiple adj1 execution adj1 units) same (multiply and shift)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/07 11:00
-	47	(multiple adj1 execution adj1 units) and (multiply and shift and load and ALU)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/07 11:00

-	2	((("4566062") or ("5958048")).PN.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/08 08:05
-	202	((712/241).ccls) and @pd >= "20000113"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/09 12:39
-	202	((712/241).ccls) and @pd>="20000113"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/09 12:39
-	316	((712/241).ccls) and @pd>="2000113"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/09 12:39
-	202	((712/241).ccls) and @pd>="20000113"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/09 12:40
-	0	(annul adj1 bit) near4 (annul adj1 code)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/09 14:21
-	0	(null adj1 bit\$1) near4 pipeline\$1	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/10 10:15
-	6	(\$1null\$3 near41 bit\$1) near4 pipeline\$1	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/10 10:28
-	2	(\$1null\$3 near4 bit\$1) near4 pipeline\$1	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/10 10:34
-	12	(\$1null\$3 near4 bit\$1) same pipeline\$1	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/10 10:36
-	2	(US-4566062-\$ or US-5958048-\$).did.	USPAT	2004/02/10 10:38
-	3	((cancel or abort) near4 bit\$1) near4 pipeline\$1	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/10 11:07
-	59	(null\$3) near4 pipeline\$1	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/10 11:07
-	7	branch near4 (null\$3 near4 bit\$1)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/10 13:29
-	5	branch near4 ((cancell or abort) near4 bit\$1)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/10 11:31
-	32	branch same (null\$3 near4 bit\$1)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/10 11:32

-	0	branch near4 (void near4 bit\$1)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/10 13:21
-	7	branch near4 (void near4 instruction\$1)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/10 13:22
-	7	branch same (void near4 instruction\$1)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/10 13:22
-	182	branch near4 (valid\$3 near4 bit\$1)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/11 15:56
-	127	branch near4 (valid\$3 adj1 bit\$1)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/10 13:30
-	56	branch near4 ((valid\$3 adj1 bit\$1) near4 instruction\$1)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/11 16:06
-	280	(712/226).CCLS.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/10 14:04
-	3	(branch near4 (bypass or fall?through)) near4 \$2valid\$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/11 10:50
-	3	(branch near4 (bypass or fall?through)) same (\$2valid\$3 adj1 (bit\$1 or cod\$3))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/11 10:58
-	2	(branch near4 bypass) same ((\$2valid\$3 or \$1null\$3) adj1 (bit\$1 or cod\$3))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/11 10:59
-	9	(branch near4 bypass) same ((\$2valid\$3 or \$1null\$3))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/11 10:59
-	141	(712/235).CCLS.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/11 11:00
-	967	(\$1null\$3 or cancel\$4 or abort\$3) adj1 instruction\$1	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/11 14:36
-	48	(((\$1null\$3 or cancel\$4 or abort\$3) adj1 instruction\$1) near4 (branch\$3 or predicat\$3))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/11 14:36
-	2	predicate near4 (valid\$3 near4 bit\$1)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/11 15:58
-	6	predicate same (valid\$3 near4 bit\$1)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/11 15:58

-	2	predicate near4 ((valid\$3 adj1 bit\$1) near4 instruction\$1)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/11 16:14
-	199	(data adj1 register\$1) near4 (hal\$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 10:11
-	213	(data adj1 register\$1) near4 (hal\$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 10:11
-	56	(data adj1 register\$1) near4 ((first and second) near4 hal\$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 10:16
-	11	(data adj1 register\$1) near4 (one?hal\$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 10:17
-	535	(register\$1) near4 (one?hal\$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 10:17
-	5	(register\$1) near4 ((first) adj1 one?hal\$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 10:18
-	5	((first) adj1 one?hal\$3) near4 register\$1	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 10:19
-	191	(one?hal\$3) adj4 register\$1	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 10:20
-	158	(one?half) adj4 register	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 10:20
-	25	(one?half) adj1 register	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 10:22
-	22	(half) adj1 (data adj1 register)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 10:26
-	1	(top adj1 half) near4 (data adj1 register)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 10:27
-	1	(top near4 half) near4 (data adj1 register)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 10:27
-	78	(top near4 half) near4 (register)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 10:28
-	75	load near4 (half near4 register)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 10:28

-	9	load near4 (half adj1 register)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 10:34
-	0	(high near4 low) near4 (data adj1 register adj1 half)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 10:35
-	0	(high near4 low) near4 (data adj1 register near2 half)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 10:35
-	2	(high or low) near4 (data adj1 register near2 half)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 10:35
-	519	(annul or cancel or null or nullification or abort) adj1 instruction\$1	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 10:41
-	0	((annul or cancel or null or nullification or abort) adj1 instruction\$1) near4 (successive adj1 instructions)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 10:40
-	1	((annul or cancel or null or nullification or abort) adj1 instruction\$1) near4 ((successive or following) adj1 instructions)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 10:40
-	507	(annul or cancel or null or abort) adj1 instruction\$1	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 10:41
-	2	(annul) adj1 instruction\$1	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 11:17
-	305	skip adj1 instruction\$1	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 11:18
-	0	(skip adj1 instruction\$1) near4 (N adj1 instructions)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 11:19
-	24	(skip adj1 instruction\$1) near4 following	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 11:19
-	4	((("5493669") or ("5748935") or ("5784603") or ("5809324"))).PN.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/20 10:12
-	219	(712/241).CCLS.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/19 11:09
-	27	(speculative) near4 ((null\$3 or cancel\$3 or anul\$4 or squish\$3 or quish\$3) near4 instruction\$1)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/19 12:07
-	2	(speculative or predicate) near4 ((null\$3 or cancel\$3 or anul\$4 or squish\$3 or quish\$3) near4 bit\$1)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/19 12:08

-	5	(speculative or predicate) near4 ((null\$3 or cancel\$3 or anul\$4 or squish\$3 or quish\$3) same bit\$1)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/19 12:20
-	41	(speculative or predicate) same ((null\$3 or cancel\$3 or anul\$4 or squish\$3 or quish\$3) same bit\$1)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/19 12:24